



CONTENTS

1-5	HDMI CABLES
6	DVI SERIES
7-11	HDMI/DVI ADAPTERS
12	MHL CABLES
13-16	USB CABLES
17-19	USB ADAPTERS
20	SATA CABLES
21-22	VGA SERIES
23-26	LAN CABLES
27-28	PATCH CORD
29-30	TELEPHONE CABLES
31-32	TELEPHONE ACCESSORIES
33-44	AUDIO & VIDEO CABLES
45-46	AUDIO & VIDEO SELECTOR
47-48	iPHONE ACCESSORIES
49-51	DISPLAYPORT SERIES
52	SPEAKER CABLES
53	XLR CABLES
54	HI-FI AUDIO CABLES
55-58	CAMERA & MONITOR CONNECTOR
59-60	OPTICAL FIBER
61-64	AUTO-HARNESS
65-66	POWER SERIES
67-68	PACKING

HDMI CABLES

Major enhancements introduced in the HDMI 1.4 specification

- **HDMI Ethernet Channel** - Adds high-speed networking to an HDMI link, allowing users to take full advantage of their IP-enabled devices without a separate Ethernet cable.
- **Audio Return Channel** - Allows an HDMI-connected TV with a built-in tuner to send audio data "upstream" to a surround audio system, eliminating the need for a separate audio cable.
- **3D** - Defines input/output protocols for major 3D video formats, paving the way for true 3D gaming and 3D home theater applications
- **4K Support** - Enables video resolutions far beyond 1080p, supporting next-generation displays that will rival the Digital Cinema systems used in many commercial movie theatres
- **Content Type** - Real-time signaling of content types between display and source devices, enabling a TV to optimize picture settings based on content type
- **Additional Color Spaces** - Adds support for additional color models used in digital photography and computer graphics
- **HDMI Micro Connector** - A new, smaller connector for phones and other portable devices, supporting video resolutions up to 1080p
- **Automotive Connection System** - New cables and connectors for automotive video systems, designed to meet the unique demands of the motoring environment while delivering true HD quality

HDMI digital data cable

The jacket for flexible PVC or free PVC matter

Braid shield with quad-shielding

Aluminum mylar shield

Spread-wings aluminum mylar shield

Foam-skin PE insulation

HD-PE insulation

Copper conductor for silver-plated or tin-plated




HDMI CABLES



HDMI CABLES



H01-011
HDMI cable male to male
Full 1080P support
Flat cable



H01-012
HDMI cable male to male
Full 1080P support
Flat cable



H01-013
HDMI cable male to male
Full 1080P support



H01-014
HDMI cable male to male
Full 1080P support



H01-015
HDMI cable male to male
Full 1080P support



H01-016
HDMI cable male to male
Full 1080P support



H01-017
HDMI cable male to male
Full 1080P support



H01-018
HDMI cable male to male
Full 1080P support



H01-019
HDMI cable male to male
Full 1080P support



H01-020
HDMI cable male to male
Full 1080P support

HDMI CABLES



H01-021
HDMI cable male to male
Full 1080P support
180 degree



H01-022
HDMI cable male to male
Full 1080P support
360 degree



H01-023
HDMI cable male to male
Full 1080P support
With LED light



H01-024
HDMI cable male to male
Full 1080P support



H01-025
HDMI cable male to mini male
Full 1080P support



H01-026
HDMI cable male to male
Full 1080P support



H01-027
HDMI cable male to male
Full 1080P support



H01-028
HDMI cable male to male
Full 1080P support



H01-029
HDMI cable male to male
Full 1080P support
Angle



HDMI CABLES

 <p>H01-030 HDMI cable male to male Full 1080P support</p>	 <p>H01-031 HDMI cable male to male Full 1080P support</p>
 <p>H01-032 HDMI cable male to male Full 1080P support</p>	 <p>H01-033 HDMI cable male to male Full 1080P support</p>
 <p>H01-034 HDMI cable male to male Full 1080P support</p>	 <p>H01-035 HDMI cable male to male Full 1080P support</p>
 <p>H01-036 HDMI cable male to male Full 1080P support</p>	 <p>H01-037 HDMI cable male to male Full 1080P support</p>
 <p>H01-038 HDMI cable male to male Full 1080P support Flat cable</p>	 <p>H01-039 HDMI cable male to male Full 1080P support Flat cable</p>

DVI CABLES

 <p>H02-001 HDMI male to DVI male DVI 18+1/24+1 Full 1080P support</p>	 <p>H02-002 DVU male to DVI male DVI 18+1/24+1/24+5 Full 1080P support</p>
 <p>H02-003 HDMI male to DVI male DVI 18+1/24+1 Full 1080P support</p>	 <p>H02-004 DVU male to DVI male DVI 18+1/24+1/24+5 Full 1080P support</p>
 <p>H02-005 HDMI male to DVI male DVI 18+1/24+1 Full 1080P support</p>	 <p>H02-006 DVU male to DVI male DVI 18+1/24+1/24+5 Full 1080P support</p>
 <p>H02-007 HDMI male to DVI male DVI 18+1/24+1 Full 1080P support</p>	 <p>H02-008 DVU male to DVI male DVI 18+1/24+1/24+5 Full 1080P support</p>
 <p>H02-009 DVI male to VGA male DVI 18+1/24+1 Full 1080P support</p>	 <p>H02-010 DVI male to 3RCA(RGB) male DVI 18+1/24+1 Full 1080P support</p>

HDMI & DVI ADAPTERS

 <p>H03-001 HDMI female to mini male Gold plated connectors HDMI adaptor</p>	 <p>H03-002 HDMI male to mini female Gold plated connectors HDMI adaptor</p>
 <p>H03-003 HDMI female to female Gold plated connectors HDMI adaptor</p>	 <p>H03-004 HDMI female to female Gold plated connectors HDMI adaptor Angle</p>
 <p>H03-005 HDMI male to male Gold plated connectors HDMI adaptor</p>	 <p>H03-006 HDMI male to female Gold plated connectors HDMI adaptor Angle</p>
 <p>H03-007 HDMI female to female Gold plated connectors HDMI adaptor 360 Rotating</p>	 <p>H03-008 HDMI male to female Gold plated connectors HDMI adaptor 360 Rotating</p>
 <p>H03-009 HDMI male to female Gold plated connectors HDMI adaptor 180 Rotating</p>	 <p>H03-010 HDMI male to female Gold plated connectors HDMI adaptor 360 Rotating</p>

HDMI & DVI ADAPTERS

 <p>H03-011 HDMI male to DVI female Gold plated connectors</p>	 <p>H03-012 HDMI female to DVI male Gold plated connectors</p>
 <p>H03-013 HDMI male to DVI female Gold plated connectors 360 Rotating</p>	 <p>H03-014 HDMI female to DVI male Gold plated connectors 360 Rotating</p>
 <p>H03-015 DVI male to VGA female Gold plated connectors</p>	 <p>H03-016 DVI female to VGA male Gold plated connectors</p>
 <p>H03-017 HDMI male to 2 x HDMI female Gold plated connectors</p>	 <p>H03-018 DVI male to 2 VGA female Gold plated connectors</p>
 <p>H03-019 DVI male to 2 DVI female Gold plated connectors</p>	 <p>H03-020 HDMI male to 2 DVI female Gold plated connectors</p>

HDMI & DVI ADAPTERS

A white plastic HDMI switch with a single output port and two input ports.

H03-021
Plastic shell switch
2 Way switch
2 input to 1 output

A black plastic HDMI switch with a single output port and two input ports.

H03-022
Plastic shell switch
2 Way switch
2 input to 1 output

A white plastic HDMI switch with a single output port and three input ports.

H03-023
Plastic shell switch
3 Way switch
3 input to 1 output

A black plastic HDMI switch with a single output port and three input ports.

H03-024
Plastic shell switch
3 Way switch
3 input to 1 output

A white plastic HDMI switch with a single output port and four input ports.

H03-025
Plastic shell switch
4 Way switch
4 input to 1 output

A black plastic HDMI switch with a single output port and four input ports.

H03-026
Plastic shell switch
4 Way switch
4 input to 1 output

A black plastic HDMI switch with a single output port and two input ports, shown with a cable.

H03-027
2 Way switch
2 input to 1 output

A black plastic HDMI switch with a single output port and three input ports, shown with a cable.

H03-028
3 Way switch
3 input to 1 output

HDMI & DVI ADAPTERS

A black HDMI splitter with one input and two outputs.

H03-029
2 Way splitter(mini type)
1 input to 2 output
Support 720P,1080i,1080P

A black HDMI splitter with one input and three outputs.

H03-030
3 Way splitter(mini type)
1 input to 3 output
Support 720P,1080i,1080P

A black HDMI splitter with one input and four outputs.

H03-031
4 Way splitter(mini type)
1 input to 4 output
Support 720P,1080i,1080P

A black HDMI splitter with one input and eight outputs.

H03-032
8 Way splitter(mini type)
1 input to 8 output
Support 720P,1080i,1080P

A black HDMI switch with one input and one output, shown with a remote control.

H03-033
2 Way switch
2 input to 1 output
Support 720P,1080i,1080P

A black HDMI switch with one input and one output, shown with a remote control.

H03-034
3 Way switch
3 input to 1 output
Support 720P,1080i,1080P

A black HDMI switch with one input and one output, shown with a remote control.

H03-035
4 Way switch
4 input to 1 output
Support 720P,1080i,1080P

A black HDMI switch with one input and one output, shown with a remote control.

H03-036
5 Way switch
5 input to 1 output
Support 720P,1080i,1080P

HDMI & DVI ADAPTERS

 <p>H03-039 HDMI Extender to 50M Input: HDMI jack Output: 2xRJ45 jack</p>	 <p>H03-040 HDMI Extender to 50M Input: HDMI jack Output: 2xRJ45 jack</p>
 <p>H03-041 HDMI Extender to 50M Input: HDMI jack Output: 1xRJ45 jack</p>	 <p>H03-042 HDMI Extender to 30M Input: HDMI jack Output: HDMI jack</p>
 <p>H03-043 HDMI Converter RCA/BNC composite/ S-video to VGA converter</p>	 <p>H03-044 HDMI 2D to 3D Converter Input: HDMI 2D signal Output: HDMI 3D signal</p>
 <p>H03-045 Component video to HDMI converter Input: 1xcomponent video(YPbPr), 2RCA audio Output: 1 xHDMI</p>	 <p>H03-046 VGA to HDMI Converter Input: 1xVGA 1x3.5 audio Output: 1xHDMI</p>
 <p>H03-047 Composite/S-video to HDMI Converter Input: 1xcomposite video 1xS-video, 1xaudio R/L Output: 1xHDMI, 1x3.5audio</p>	 <p>H03-048 Scart to HDMI Converter Input: 1xScart Output: 1xHDMI, 1x3.5audio</p>

MHL CABLES

MHL Cable for mobile phone, Micro USB to HDMI MHL Adapter

The MHL (Mobile High-Definition Link) Adapter is an accessory made with one purpose in mind to connect your MHL Host like MHL Phone or Tablet to your HDTV for viewing content on a larger screen. This state-of-the-art technology connects your MHL Host to your monitor or TV from the micro USB port to the HDMI port.

The MHL (Mobile High-Definition Link) Consortium was formed to develop a new mobile audio/video interface standard for directly connecting mobile phones and other portable consumer electronics devices to high-definition televisions (HDTVs) and displays. The MHL standard features a single-cable with a low pin-count interface able to support up to 1080p high-definition (HD) video and digital audio while simultaneously charging the connected device.




MHL Cable for mobile phone, Micro USB to HDMI Male MHL Cable

The MHL (Mobile High-Definition Link) Consortium was formed to develop a new mobile audio video interface standard for directly connecting mobile phones and other portable consumer electronics devices to high-definition televisions (HDTVs) and displays. This MHL cable supports up to 1080p high-definition (HD) video and digital audio while simultaneously charging the connected device.



USB CABLES

With this USB 3.0 cable you will be able to reach ultra fast data transfer rates up to 5 Gbit/s which makes this cable ideally suitable to transfer large files quickly. Backwards compatible with USB 2.0.



Features:

- USB 3.0 A male to MICRO B male cables Super speed
- For connecting computer or notebook to HD-DVD/big mobiles memory, gold plated copper contacts minimize data loss
- Transfer speed up to 5.0Gbps
- Foiled and braided shield complies with fully rated cable specifications
- Impedance matches twisted pair construction helps to minimize cross talk, super high- speed, and error-free transmission



USB CABLES



H05-001
USB 3.0 Cable
A male to A male



H05-002
USB 3.0 Cable
A male to A female



H05-003
USB 3.0 Cable
A male to B male



H05-004
USB 3.0 Cable
A male to Micro male



H05-005
USB 2.0 Cable
USB A male to A male



H05-006
USB 2.0 Cable
USB A male to A female



H05-007
USB 2.0 Cable
USB A male to B male



H05-008
USB 2.0 Cable
USB A male to mini 4P male



H05-009
USB 2.0 Cable
USB A male to mini 5P male



H05-010
USB 2.0 Cable
USB A male to Micro male

USB CABLES



USB CABLES



USB ADAPTERS

 <p>H06-001 USB 3.0 Adaptor USB A male to A male</p>	 <p>H06-002 USB 3.0 Adaptor USB A male to A female</p>
 <p>H06-003 USB 3.0 Adaptor USB A female to A female</p>	 <p>H06-004 USB 3.0 Adaptor USB A male to B male</p>
 <p>H06-005 USB 3.0 Adaptor USB A female to B female</p>	 <p>H06-006 USB 3.0 Adaptor USB B male to B male</p>
 <p>H06-007 USB 3.0 Adaptor USB B male to B female</p>	 <p>H06-008 USB 3.0 Adaptor USB B female to B female</p>
 <p>H06-009 USB 3.0 Adaptor USB A male to Micro B male</p>	 <p>H06-010 USB 3.0 Adaptor USB B male to Micro B male</p>




USB ADAPTERS

 <p>H06-011 USB 3.0 Adaptor USB B female to Micro B male</p>	 <p>H06-012 USB 3.0 Adaptor USB Micro B male to Micro B male</p>
 <p>H06-013 2 Ports USB 3.0 A female to Motherboard 20 Pin Adaptor</p>	 <p>H06-014 USB 3.0 Adaptor USB A male to A male</p>
 <p>H06-015 USB 3.0 Adaptor USB A male to A female</p>	 <p>H06-016 USB 3.0 Adaptor USB A male to A female Angle</p>
 <p>H06-017 USB A male to A male</p>  <p>H06-018 USB A female to A female</p>	 <p>H06-019 USB A male to B male</p>  <p>H06-020 USB A male to B female</p>
 <p>H06-021 USB A male to Mini 4P male</p>  <p>H06-022 USB A male to Mini 5P male</p>	 <p>H06-023 USB B male to Mini USB 5P B female</p>

USB ADAPTERS

 <p>H06-024 USB A female to Mini USB 5P B male</p>	 <p>H06-025 USB B male to B male</p> <p>H06-026 USB B female to B female</p>
 <p>H06-027 USB A female to Mini 4P male</p> <p>H06-028 USB A male to Mini 4P female</p>	 <p>H06-029 USB A male to IEEE1394 6P male</p> <p>H06-030 USB A male to IEEE1394 4P male</p>
 <p>H06-031 USB A female to IEEE1394 4P female</p> <p>H06-032 IEEE1394 6P male to IEEE1394 4P female</p>	 <p>H06-033 D-SUB Adaptor A:DB9M/DB25M B:DB9M/DB25F C:DB9F/DB25M D:DB9F/DB25F</p>
 <p>H06-034 DB9 Adaptor A:DB9M/DB9M B:DB9M/DB9F C:DB9F/DB9F</p>	 <p>H06-035 USB Extension cord with 6 USB adaptors</p>
 <p>H06-036 USB A male to USB A male cable</p>	 <p>H06-037 USB A male to USB A male cable</p>

SATA CABLES

 <p>H07-001 SATA Cable 7Pin/7Pin</p>	 <p>H07-002 SATA Cable 7Pin/7Pin</p>
 <p>H07-003 SATA Cable 7Pin/7Pin</p>	 <p>H07-004 SATA Power cable 15P - 4P</p>
 <p>H07-005 SATA 7P+15P Combined cable</p>	 <p>H07-006 SATA cable Sata 7Pin to eSATA 7Pin Male External</p>
 <p>H07-007 SATA 4Pin to SATA 15Pin x 2 Power Cable</p>	 <p>H07-008 SATA 3 in 1 Kit</p>
 <p>H07-009 eSATA 7P to SATA 7P Cable</p>	 <p>H07-010 eSATA 7P to eSATA 7P cable</p>

VGA SERIES

Product Description:

Rated temperature:80℃ Rated voltage:30V

Tinned copper stranded

Cellular PE(coax.)

Color-coded semi-rigid PVC(hook-up wire)

Tinned copper wire spiral or braided shield(coax.)

Tinned stranded copper drain wire

Drain wire laid between aluminum mylar and braid

Tinned or bare copper wire overall more than 85% coverage braid shield

PVC jacketed

Pass UL VW-1 vertical flame test



Electrical Properties:

Conductor resistance:20℃(max.)

25AWG:237.25Ω/km(coax.)

24AWG:93.25Ω/km(core.)

Impedance:at 10MHz,75Ω±5Ω(coax.)



VGA SERIES



H08-001

VGA Cable 3+4/3+5/3+6/3+7/3+8
Gold & Nickel Plated Connector
With or Without Ferrites
M/M, M/F
DB9/DB15



H08-002

VGA Cable 3+4/3+5/3+6/3+7/3+8
Gold & Nickel Plated Connector
With or Without Ferrites
M/M, M/F
DB9/DB15



H08-003

VGA Cable 3+4/3+5/3+6/3+7/3+8
Gold & Nickel Plated Connector
With or Without Ferrites
M/M, M/F
DB9/DB15



H08-004

VGA Cable 3+4/3+5/3+6/3+7/3+8
Gold & Nickel Plated Connector
With or Without Ferrites
M/M, M/F
DB9/DB15



H08-005

VGA Cable to 3RCA
Gold & Nickel Plated Connector
With or Without Ferrites



H08-006

VGA Cable 3+4/3+5/3+6/3+7/3+8
Gold & Nickel Plated Connector
With or Without Ferrites



H08-007

VGA Adaptor
M-M



H08-008

VGA Adaptor
F-F



H08-009

DVI male to VGA female



H08-010

VGA male to 3 RCA male(RGB)

LAN CABLES

CAT 5E LAN CABLES

CAT 6 LAN CABLES

CAT 7 LAN CABLES

Structure: bare solid cord, PE insulation, FR PVC/LSOH PVC jacket.


Standards: ISO/IEC 11801, ANSI/TIA/EIA-568a

Application: used as word-station outlet to the FD/IDF and other horizontal cabling, supporting TP-PMD Audio, integrated service digital network (ISDN), ATM 155Mbps, 100Mbps TPDDI, Fast Ether-net etc.

Certificate: UL, CE, CCC




LAN CABLES




Construction With Cable Data

Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
5e-UTP	26/24/23AWG	4	0.91mm	-	5.1 ± 0.1mm



Construction With Cable Data


Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
5e-FTP	26/24/23AWG	4	0.96mm	AL-foil	5.6 ± 0.1mm



Construction With Cable Data


Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
5e-SFTP	26/24/23AWG	4	0.96mm	AL-foil+braiding	6.0 ± 0.1mm

LAN CABLES




Construction With Cable Data

Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
6-UTP	26/24/23AWG	4	0.95mm	-	6.1 ± 0.1mm



Construction With Cable Data


Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
6-FTP	26/24/23AWG	4	1.05mm	AL-foil	6.5 ± 0.1mm



Construction With Cable Data

Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
6-SFTP	26/24/23AWG	4	1.2mm	AL-foil+braiding	6.8 ± 0.1mm

LAN CABLES



Construction With Cable Data

Part No.	Conductor	No. of Pairs	Core Diameter	Shielding	Nom O.D
6-SSTP	26/24/23AWG	4	1.2mm	Double AL-Foil+Braiding	6.8 ± 0.1mm

CAT 7 LAN Cable

Description


- *Rated temperature: 60°C - 75°C
- *Reference standard: UL444,TIA/EIA 568B
- *Bare solid or stranded copper conductor
- *Colour-coded PE insulation
- *Passes UL riser flame test & CSA FT4 vertical flame test
- *Reel Pull-out Box Packing, Reel in box

Application


- *10GBASE-T Ethernet
- *100 Base-TX
- *100 VG-AnyLAN
- *1000 Base-T (Gigabit Ethernet)
- *155Mbps ATM
- *622Mbps ATM

Construction With Cable Data

Construction	Conductor Dimension(mm)	Core Dimension(mm)	No. of Pairs	Individual shielding	Overall Shielding	Nom O.D. mm
SSTP 23AWG	0.57	1.35	4	Aluminum/PE	Copper Wire Braid	7.7
SSTP-STR	7/0.16	1.08	4	Aluminum/PE	AL+Copper Wire Braid	5.8



PATCH CORD



Specification 1

- UTP CAT5E Patch Cord
- Color: White/Grey/Blue/Red/Yellow
- Four pairs, 24/26AWG, Copper/CCA, Stranded UTP/FTP/S/FTP
- Rate: 100MHz
- Top quality specs! Meets all Cat5e standards
- Excellent signal to noise ratio. This cable connects all the hardware destinations on a local Area Network (LAN)
- Connector(S): RJ-45-Male
- 0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m.

Specification 2

- UTP CAT6 Patch Cord
- Color: White/Grey/Blue/Red/Yellow
- Four pairs, 24/26AWG, Copper/CCA, Stranded UTP/FTP/S/FTP
- Rate: 250MHz
- Top quality specs! Meets all Cat6 standards
- Excellent signal to noise ratio. This cable connects all the hardware destinations on a local Area Network (LAN)
- Connector(S): RJ-45-Male
- 0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m.

PATCH CORD



H10-001
CAT 5E stranded UTP cable



H10-002
CAT 5E solid UTP cable



H10-003
CAT 5E stranded UTP cable



H10-004
CAT 5E solid FTP cable



H10-005
CAT 5E solid FTP cable



H10-006
CAT 5E stranded SFTP cable



H10-007
CAT 6 stranded UTP cable



H10-008
CAT 6 solid FTP cable



H10-009
CAT 6 stranded FTP cable




H10-010
CAT 6E stranded FTP cable


TELEPHONE CABLES

Flat telephone Cable:


2C, 4C, 8C TELEPHONE CABLE:


Specification 
2C×6×0.10 Φ2.45×3.80

Specification 
2C×6×0.10 Φ2.45×4.85
2C×7×0.12 Φ2.45×4.85

Specification 
4C×5×0.10 Φ2.40×4.80
4C×6×0.10 Φ2.40×4.80
4C×5×0.12 Φ2.45×4.85
4C×7×0.10 Φ2.45×4.85
4C×7×0.11 Φ2.45×4.85
4C×7×0.12 Φ2.45×4.85



Specification 
6C×6×0.10 Φ2.45×7.00
6C×7×0.12 Φ2.45×7.00

Specification 
8C×6×0.10 Φ2.45×9.00
8C×7×0.10 Φ2.45×9.00
8C×7×0.12 Φ2.45×9.00

ROUND TELEPHONE CABLES

2C BLACK ROUND TELEPHONE CABLE SPEC:



CENTER: 2x1.0MM CCS, O.D: 2.5x5.0MM

PACKING:



A:100m with plastic



B:100m with paper reel



C:100m with coil

ITEM.	No.of central conductor Dia.per conductors(mm)	Tiekness of Insulation (mm)	Outer Diameter (mm)
1PAIR	(0.35-0.5) x 2	0.50	2.8
2PAIR	(0.35-0.5) x 4	0.50	3.8
3PAIR	(0.35-0.5) x 6	0.60	4.5
4PAIR	(0.35-0.5) x 8	0.60	5.2
5PAIR	(0.35-0.5) x 10	0.60	5.8
6PAIR	(0.35-0.5) x 12	0.60	6.5
8PAIR	(0.35-0.5) x 16	0.70	7.3
10PAIR	(0.35-0.5) x 20	0.70	7.8

TELEPHONE CABLES



H11-001
6P2C
6P4C
6P6C



H11-002
6P2C
6P4C
6P6C



H11-003
6P2C
6P4C
6P6C
8P8C



H11-004
6P2C
6P4C
6P6C



H11-005
6P2C
6P4C
6P6C



H11-006
6P2C
6P4C
6P6C



H11-007
6P2C
6P4C
6P6C



H11-008
6P2C
6P4C
6P6C



H11-009
6P2C
6P4C
6P6C



H11-010
6P2C
6P4C
6P6C

TELEPHONE ACCESSORIES



AUDIO & VIDEO CABLES



H13-001
RCA plug to 9.5mm TV jack



H13-002
9.5mm TV plug to 9.5mm TV plug



H13-003
9.5mm TV plug to 9.5mm TV jack



H13-004
9.5mm TV plug to 9.5mm TV plug Right



H13-005
9.5mm TV plug to 9.5mm TV plug



H13-006
9.5mm TV plug to 9.5mm TV jack



H13-007
BNC plug to BNC plug



H13-008
F quick plug to F quick plug



H13-009
F screw plug to F screw plug



H13-010
F screw plug to 9.5mm TV plug

AUDIO & VIDEO CABLES



H13-011
3.5mm stereo plug to 3.5mm stereo jack



H13-012
3.5mm stereo plug to 3.5mm stereo plug



H13-013
3.5mm stereo plug to 3.5mm stereo plug Right



H13-014
3.5mm stereo jack to 3.5mm stereo plug Right



H13-015
6.35mm mono plug to 6.35mm mono plug



H13-016
6.35mm stereo plug to 6.35mm stereo plug



H13-017
Mini 4P plug to Mini 4P plug



H13-018
Mini 4P plug to Mini 4P jack



H13-019
Mini 4P plug to Mini 4P jack



H13-020
Mini 4P plug to Mini 4P plug

AUDIO & VIDEO CABLES



H13-021
Mini 4P plug to 2 Mini 4P jack



H13-022
Mini 4P jack to 2 Mini 4P plug



H13-023
DIN 5P plug to DIN 5P jack



H13-024
DIN 5P plug to DIN 5P plug



H13-025
DIN 5P plug to 2RCA plug



H13-026
DIN 5P plug to DIN 5P plug



H13-027
DIN 5P plug to 2RCA plug



H13-028
RCA plug to 2RCA plug



H13-029
3.5mm stereo plug to 2RCA plug



H13-030
6.35mm stereo plug to 2RCA plug



H13-031
3.5mm 4C plug to 3RCA plug



H13-032
RCA plug to 2RCA(plug+jack)



H13-033
3.5mm 4C plug to 3RCA plug



H13-034
3.5mm 4C plug to 3RCA plug Right



H13-035
2RCA plug to 2RCA (plug+jack)



H13-036
2RCA jack to 2RCA plug Right



H13-037
2RCA plug to 2RCA plug



H13-038
3RCA plug to 3RCA plug



H13-039
3RCA plug to 3RCA jack




H13-040
4RCA plug to 4RCA plug

AUDIO & VIDEO CABLES

AUDIO & VIDEO CABLES



H13-041
2RCA plug to 2RCA plug



H13-042
3RCA plug to 3RCA plug



H13-043
3RCA plug to 3RCA plug
RGB Cable



H13-044
3RCA plug to 3RCA plug
RGB Cable



H13-045
3RCA plug to 3RCA plug
RGB Cable



H13-046
3RCA plug to 3RCA plug
RGB Cable



H13-047
3.5mm stereo plug to
3.5mm stereo plug



H13-048
3.5mm stereo plug to
3.5mm stereo jack



H13-049
3.5mm stereo plug to
2RCA plug



H13-050
RCA plug to RCA plug



H13-051
2RCA plug to 2RCA plug



H13-052
3RCA plug to 3RCA plug



H13-053
2RCA plug to 2RCA plug



H13-054
3RCA plug to 3RCA plug



H13-055
4RCA plug to 4RCA plug



H13-056
3RCA plug to 3RCA plug



H13-057
2RCA plug to 2RCA plug



H13-058
2RCA plug to 2RCA plug
Clean cable



H13-059
2RCA plug to 2RCA plug
Right



H13-060
2RCA plug to 2RCA plug

AUDIO & VIDEO CABLES

AUDIO & VIDEO CABLES



H13-061
3RCA plug to 3RCA plug



H13-062
3RCA plug to 3RCA plug



H13-063
3.5mm stereo plug to
2RCA plug
Clean cable



H13-064
3RCA plug to 3RCA plug
Clean cable



H13-065
3.5mm stereo plug to
3.5mm stereo plug



H13-066
3.5mm stereo plug to
3.5mm stereo jack



H13-067
Mini 4P plug to Mini 4P plug



H13-068
3.5mm stereo plug to
2RCA plug



H13-069
RCA plug to RCA plug



H13-070
RCA plug to RCA jack

AUDIO & VIDEO CABLES



H13-071
2RCA plug to 2RCA plug



H13-072
2RCA plug to 2RCA jack



H13-073
3RCA plug to 3RCA plug



H13-074
3RCA plug to 3RCA jack



H13-075
3.5mm stereo plug to
3.5mm stereo jack



H13-076
3.5mm stereo plug to
3.5mm stereo plug



H13-077
RCA plug to RCA plug



H13-078
2RCA plug to 2RCA plug



H13-079
3RCA plug to 3RCA plug



H13-080
3.5mm stereo plug to
2RCA plug

AUDIO & VIDEO CABLES



H13-082
Mini 4P plug to Mini 4P plug



H13-082
Mini 4P plug to 2RCA plug



H13-083
3.5mm 4C plug to 3RCA plug



H13-084
2RCA plug to 2RCA plug



H13-085
3RCA plug to 3RCA plug



H13-086
4RCA plug to 4RCA plug



H13-087
2RCA plug to 2RCA plug



H13-088
2RCA plug to 2RCA plug



H13-089
2RCA plug to 2RCA plug



H13-090
2RCA plug to 2RCA plug



H13-091
2RCA plug to 2RCA plug



H13-092
3RCA plug to 3RCA plug



H13-093
3RCA plug to 3RCA plug
RGB Cable



H13-094
3.5mm stereo plug to
2RCA plug



H13-095
3.5mm 4C plug to 3RCA plug



H13-096
3.5mm stereo plug to
3.5mm stereo plug



H13-097
3.5mm stereo plug to
3.5mm stereo jack



H13-098
3.5mm stereo plug to
2 x 3.5mm stereo jack



H13-099
3.5mm stereo plug to
3.5mm stereo jack



H13-100
3.5mm stereo plug to
2RCA plug

AUDIO & VIDEO CABLES



H13-101
3.5mm 4C plug to 3RCA plug



H13-102
3.5mm stereo plug to
2 x 3.5mm stereo jack



H13-103
3.5mm stereo plug to
3.5mm stereo jack



H13-104
3.5mm stereo plug to
3.5mm stereo plug



H13-105
3.5mm stereo plug to
2RCA plug



H13-106
3.5mm 4C plug to 3RCA plug



H13-107
3.5mm stereo plug to
2 x 3.5mm stereo jack



H13-108
3.5mm stereo plug to
3.5mm stereo jack




H13-109
3.5mm stereo plug to
3.5mm stereo plug




H13-110
3.5mm stereo plug to
2RCA plug


AUDIO & VIDEO CABLES




H13-111
RCA plug to 2RCA jack(Y Cable)
Clean Cable




H13-112
RCA jack to 2RCA plug(Y Cable)
Clean Cable




H13-113
RCA jack to 2RCA plug(Y Cable)
Clean Cable




H13-114
RCA plug to 2RCA jack(Y Cable)
Clean Cable




H13-115
RCA jack to 2RCA plug(Y Cable)
Clean Cable




H13-116
RCA plug to 2RCA jack(Y Cable)
Clean Cable




H13-117
RCA plug to RCA plug+RCA jack(Y Cable)



H13-118
RCA plug to 2RCA plug(Y Cable)



H13-119
RCA plug to 2RCA jack(Y Cable)



H13-120
RCA jack to 2RCA plug(Y Cable)

AUDIO & VIDEO SELECTOR

H14-001
Game selector



Color:Black Red Yellow Green Blue Grey
Packing:Single blister with cord

H14-002
Game selector



Transparent Color:Black Red Yellow Green Blue Grey
Packing:Single blister with cord

H14-003
Beta transform game selector



Color:Black Red Yellow Green Blue Grey
Packing:Single blister with cord

H14-004
Game selector



Transparent Color:Black Red Yellow Green Blue Grey
Packing:Single blister with cord


AUDIO & VIDEO SELECTOR




H14-005
3 way selector
For transmission of analogue audio/video signal
3 x 3RCA input
1 x 3RCA output



H14-006
4 way selector
For transmission of analogue audio/video signal
4 x 3RCA input
1 x 3RCA output



H14-007
3 way selector
For transmission of analogue audio/video signal
3 x 3RCA input
1 x 3RCA output
Transparent



H14-008
3 way selector
For transmission of analogue audio/video signal
3 x 3RCA input
1 x 3RCA output
Transparent



H14-009
3 way selector, With s-video
For transmission of analogue audio/video signal
3 x 3RCA + S-video input
1 x 3RCA output +
3.5mm stereo jack
With 4 switch



H14-010
3 way audio selector
For transmission of analogue audio/video signal
3 x 3RCA input
1 x 3RCA output



H14-011
4 way selector, With s-video
For transmission of analogue audio/video signal
3 x 3RCA + S-video input
1 x 3RCA output +
3.5mm stereo jack
With 4 switch



H14-012
3 way selector
For transmission of analogue audio signal
3 x 2RCA input
1 x 2RCA output
with 3.5mm stereo jack
and switch



H14-013
3 way selector
For transmission of analogue audio/video signal
3 x 3RCA input
2 x 3RCA output
With switch



H14-014
3 way audio selector
For transmission of analogue audio signal

IPHONE ACCESSORIES



IPHONE ACCESSORIES



H15-001
Iphone/Ipad to HDMI
For transmission of iphone/
ipod/ipad
audio/video signal
support 480i,720p,1080i,1080p



H15-002
Iphone/Ipad to DVI
For transmission of iphone/
ipod/ipad
audio/video signal
support 480i,720p,1080i,1080p



H15-003
Iphone/Ipad to VGA
For transmission of iphone/
ipod/ipad
audio/video signal
support 480i,720p



H15-004
Iphone/Ipad to 3RCA + USB
For transmission of iphone/
ipod/ipad
audio/video signal
support 480i,720p



H15-005
Iphone/Ipad to 3RCA + USB
For transmission of iphone/
ipod/ipad
audio/video signal
support 480i,720p



H15-006
Iphone/Ipad to USB
For transmission of iphone/
ipod/ipad
audio/video and data signal



H15-007
Iphone/Ipad to SD + USB
For transmission of iphone/
ipod/ipad
audio/video and data signal
support 480i,720p,1080i,1080p



H15-008
Iphone/Ipad to HDMI + USB
For transmission of iphone/
ipod/ipad
audio/video and data signal
support 480i,720p,1080i,1080p



H15-009
Iphone/Ipad wall USB charger
iphone/ipad/ipod wall
USB charger



H15-010
Iphone/Ipad car USB charger
iphone/ipad/ipod car
USB charger

DISPLAYPORT SERIES

Technical Details

- Connector Housing:LCP(UL94-0)
- Connector Terminal:Copper Alloy + Gold Plated
- Connector Sheil:Steel + Nickel Plated
- Enclosure:PC+ABS
- Operating Temperature:0~50°
- Storage Temperature:-40~85°
- RoHS:Compliant

Mini Displayport Adaptor & Cable

Products Specification

- Compliant with DisplayPort Interoperability specification V1.1a
- Compliant with HDMI 1.3a specification up to 2.25 Gbps
- ESD protect:Human Body Mode at 8kv,Machine Mode at 400V, and Charged Device Mode at 2kv
- PC:VGA,XGA,SVGA,SXGA,UXGA and WUXGA
- HDTV:480i,576i,480P,576P,1080i and 1080P
- Standby mode current:64uA,RoHS

Displayport Adaptor & Cable

Products Specification

- Compliant with DisplayPort specification V1.1a
- Support 1.62 and 2.7Gbps over 4 lanes
- Video resolution up 1920x1200x60Hz
- ESD protect:Human Body Mode at 8kv,Machine Mode at 400V and Charged Device Mode at 2kv
- PC:VGA,XGA,SVGA,SXGA,UXGA and WUXGA



DISPLAYPORT SERIES



H16-001

Displayport male to male
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up
1920x1200x60Hz



H16-002

Displayport male to female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-003

Displayport male to HDMI male
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-004

Displayport male to DVI male
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-005

Displayport male to HDMI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-006

Displayport male to DVI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-007

Displayport male to HDMI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-008

Displayport male to DVI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-009

Displayport male to VGA female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-010

Displayport male to HDMI female adaptor
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz

DISPLAYPORT SERIES



H16-011

Displayport mini male to mini male
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-012

Displayport male to mini male
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-013

Displayport male to mini female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-014

Displayport mini male to
Displayport female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-015

Displayport mini male to HDMI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-016

Displayport mini male to VGA female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-017

Displayport mini male to DVI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-018

Displayport mini male to HDMI female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-019

Displayport mini male to
Displayport female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz



H16-020

Displayport mini male to
Displayport female
Compliant with DisplayPort
specification V1.1a
Support 1.62 and 2.7Gbps over 4 lanes
Video resolution up 1920x1200x60Hz

SPEAKER CABLES



MODEL	AWG	OD(mm)	MODEL	AWG	OD(mm)
H17-001	10GA	6+6 classic	H17-101	16GA	3.5 x 7.0 classic
H17-002	12GA	5.0 x 10flat	H17-102	16GA	3.0 x 6.0 classic
H17-003	12GA	5.0 x 10flat	H17-103	16GA	3.0 x 6.0 classic
H17-004	12GA	4.0 x 8.0 braiding	H17-104	16GA	3.0 x 6.0 classic
H17-005	12GA	9 twisted	H17-105	16GA	3.5 x 7.0 gold & silver
H17-006	14GA	3.8 x 7.6 classic	H17-106	16GA	6.5 twisted
H17-007	14GA	2.8 x 19.4-conduford	H17-107	14GA	3.5 x 7.0 classic
H17-008	14GA	2.8 x 13 braiding	H17-108	18GA	3.5 x 5.6 classic
H17-009	16GA	3.5 x 7.0 classic	H17-109	18GA	3.5 x 5.6 classic

XLR SERIES



H18-001
XLR plug to XLR jack
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-002
XLR plug to XLR jack
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-003
XLR plug to XLR jack
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-004
SPEACON 4pins plug to
SPEACON 4pins plug
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-005
SPEACON 4pins plug to
SPEACON 4pins jack
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-006
SPEACON 4pins jack to
SPEACON 4pins jack
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-007
XLR plug to 6.35mm mono plug
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-008
6.35mm mono cable
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-009
6.35mm stereo cable
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm



H18-010
6.35mm stereo cable,angle
Double shielded braiding
O.D.:5.0/5.5/6.5/7.0mm

HI-FI AUDIO CABLES

HY19-001

2RCA Plugs to 2 RCA Plugs
Full Copper Shells
24K Gold Plated
Double Shield
Full BC inner wires,BC braid Shield



HY19-002

RCA Jack to 2 RCA Plugs



HY19-003

RCA Plug to 2 RCA Jacks

CAMERA & MONITOR CONNECTOR



H20-001
A: DC plug 2.1x5.5mm,
with terminal
B: DC plug 2.5x5.5mm,
with terminal



H20-002
A: DC plug 2.1x5.5mm,
with terminal
B: DC plug 2.5x5.5mm,
with terminal



H20-003
A: DC jack 2.1x5.5mm,
with terminal
B: DC jack 2.5x5.5mm,
with terminal



H20-004
A: DC jack 2.1x5.5mm,
with terminal
B: DC jack 2.5x5.5mm,
with terminal



H20-005
BNC plug
with terminal



H20-006
BNC jack
with terminal



H20-007
RCA plug
with terminal



H20-008
RCA jack
with terminal



H20-009
3.5mm stereo plug
with terminal



H20-010
Patch Cord
with terminal

CAMERA & MONITOR CONNECTOR



H20-011
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-012
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-013
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-014
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-015
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-016
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-017
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-018
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-019
Single-channel video
transmission,
the transmission distance
of 300-600 meters



H20-020
Single-channel video
transmission,
the transmission distance
of 300-600 meters

CAMERA & MONITOR CONNECTOR



H20-021
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-022
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-023
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-024
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-025
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-026
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-027
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-028
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-029
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-030
Single-channel video transmission,
the transmission distance of 300-600 meters

CAMERA & MONITOR CONNECTOR



H20-031
Single-channel video transmission,
the transmission distance of 300-600 meters



H20-032
DC jack to 2 DC plug



H20-033
DC jack to 4 DC plug



H20-034
DC jack to 8 DC plug



H20-035
DC plug



H20-036
DC jack



H20-037
Power surge protection
UN≤220V Imax=10KA
Best-Nr.801210



H20-038
Network fine protection
Un<5V Imax=10KA
Best-Nr



H20-039
Video protection
Impedance: 75Ω
Imax=10KA



H20-040
CCTV surge protection
Video protection=75Ω
Data: RS485
Power: 220V
Isn=5KA Imax=10KA

OPTICAL FIBER



H21-001
Toslink plug to Toslink plug
Assembly type
O.D.:2.2mm



H21-002
Toslink plug to Toslink plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-003
Toslink plug to mini plug
Assembly type
O.D.:2.2mm



H21-004
Toslink plug to mini plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-005
Toslink mini plug to mini plug
Assembly type
O.D.:2.2mm



H21-006
Toslink mini plug to mini plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-007
Toslink plug to mini plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-008
Toslink plug to mini plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-009
Toslink mini plug to mini plug
A:O.D.:5.0mm
B:O.D.:6.0mm



H21-010
Toslink >3,5mm mini plug
O.D.:5.0mm

OPTICAL FIBER



H21-011
Toslink jack to Mini plug
Adaptor



H21-012
Toslink mini jack to plug
Adaptor



H21-013
Toslink jack to Toslink plug
Angled Adaptor



H21-014
Toslink jack to Mini plug
Angled Adaptor




H21-015
Coaxial-Optical-Converted-Incl
RCA jack to Toslink jack



H21-016
Optical-Coaxial-Converted-Incl
Toslink jack to RCA jack



H21-017
Digital Optical Signal
Amplifier-incl
Toslink jack to Toslink jack



H21-018
Optical Adaptors
3-Way POF selector,
Toslink jack to 3 x Toslink jack



H21-019
Multimode 62.5/125um(MM)



H21-020
Multimode 62.5/125um(MM)

AUTO-HARNESS



H22-001
ISO radio plug




H22-002
ISO radio plug



H22-003
ISO radio plug



H22-004
ISO radio plug



H22-005
ISO radio plug



H22-006
ISO radio plug



H22-007
ISO radio plug



H22-008
ISO radio plug



H22-009
ISO radio plug



H22-010
ISO radio plug

AUTO-HARNESS



H22-011
ISO radio plug



H22-012
ISO radio plug



H22-013
ISO radio plug



H22-014
ISO harness assembly



H22-015
ISO power cable




H22-016
ISO-alpine 16pin



H22-017
ISO-clarion 16pin



H22-018
ISO-kenwood 12pin



H22-019
ISO-kenwood 16pin













H22-020
ISO-JVC 16pin

AUTO-HARNESS

 <p>H22-021 ISO-panasonic 16pin</p>	 <p>H22-022 ISO-pioneer 16pin</p>
 <p>H22-023 ISO-pioneer 16pin 2002</p>	 <p>H22-024 ISO-pioneer 16pin 2003</p>
 <p>H22-025 ISO-pioneer 12</p>	 <p>H22-026 ISO-sony 16pin</p>
 <p>H22-027 ISO radio plug</p>	 <p>H22-028 Fuse holder 5mm x 20mm</p>
 <p>H22-029 Fuse holder 5mm x 20mm</p>	 <p>H22-030 Fuse holder 6mm x 30mm</p>

AUTO-HARNESS

 <p>H22-031 Fuse holder for plug-in fuse</p>	 <p>H22-032 Fuse holder for plug-in fuse</p>
 <p>H22-033 Car 2P plug to 2P jack</p>	 <p>H22-034 Car 4P plug to 24P jack</p>
 <p>H22-035 Car 6P plug to 6P jack</p>	 <p>H22-036 Car 9P plug to 9P jack</p>
 <p>H22-037 Car 9P plug to 9P jack</p>	 <p>H22-038 Car 12P plug to 12P jack</p>
 <p>H22-039 Accept 4/8GA Wire (for AGU Fuse use)</p>	 <p>H22-040 4GA x 3IN 8GA x 2 OUT</p>

POWER SERIES



POWER SERIES



PACKING

COLOR BAG



PACKING



DOUBLE BLISTER



BLISTER BOX

BLISTER CARD

COLOR BOX

